FROM:

Jungbunzlauer

MATERIAL SAFETY DATA SHEET

Medalender Jungender

PAGE: 1

DATE:

REV: 10/27/92

PRODUCT: SODIUM SACCHARIM, USP

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTITY: SODIUM SACCHARIN BYNONYMS: SODIUM

BENZOSULPHIMIDE; SODIUM SACCHARIDE;

SACCHARINATE; SULPHOBENZOIC IMIDE, SODIUM SALT; SOLUBLE SACCHARIN

CENERAL USE: SWEETENER

PRODUCT DESCRIPTION: HETEROCYLCLIC ORGANIC

MOLECULAR FORMULA: C7-H4-N-NA-O3-8.2H20 MOLECULAR WEIGHT: 205.17

MANUFACTURER/DISTRIBUTOR:

DISTRIBUTOR:

JUNGBUNZLAUER INC.

75 WELLS AVENUE

NEWTON CENTRE, MA 02159 - 3214

MANUFACTURER:

SHANGHAI NO. 6 PHARM. FACTORY

ZHENNAN ROAD

TAOPU INDUSTRIAL DISTRICTS

SHANGHAI, CHINA

EMERGENCY CONTACT AND PHONE NUMBER; JOHN N. QUINN (617) 969-0901

CHEMTREC 800-424-9300

COMPOSITION/ INFORMATION ON INGREDIENTS

CAS NO.

EXPOSURE LIMITS

SODIUM SACCHARIN

100

128-44-9

(ACGIH, OSHA, NIOSH) NONE ESTABLISHED

HARARD IDENTIFICATION

EMERGENCY OVERVIEW: WHITE CRYSTALS OR CRYSTALLINE POWDER WITH FAINT AROMATIC ODOR . EFFLORESCENT. CARCINOGEN.

POTENTIAL HEALTH EFFECTS:

INHALATION:

NO DATA AVAILABLE.

EYE CONTACT: NO DATA AVAILABLE.

SKIN CONTACT: NO DATA AVAILABLE,

INGESTION:

INGESTION OF LARGE QUANTITIES MAY CAUSE NAUSEA,

VOMITING, AND DIARRHEA.

CHRONIC:

NO DATA AVAILABLE.

CARCINOGEN STATUS: POSITIVE

449295

Junabunzlauer

MATERIAL SAPETY DATA SHEET

JUNGBUNGLAUER

PAGE: 2

DATE:

PRODUCT: SODIUM MACCHARIN, USP.

REV: 10/27/92

4. PIRST AID MEASURES

INHALATION:

REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN. GET

MEDICAL ATTENTION.

EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE OCCASIONALLY LIFTING LIDS. IF IRRITATION DEVELOPS GET MEDICAL ATTENTION.

SKIN CONTACT:

FLUSH SKIN WITH WATER AND WASH THOROUGHLY WITH MILD SOAP OR DETERGENT. IF IRRITATION DEVELOPS AND PERSISTS GET MEDICAL ATTENTION.

INGESTION:

IF SWALLOWED, WASH OUT MOUTH WITH WATER. EVACUATE STOMACH WITH EMETIC OR STOMACH TUBE. GET MEDICAL ATTENTION.

FIRE FIGHTING MEASURES

FLAMMABLE LIMITS : NOT AVAILABLE.
AUTOIGNITION DEPURED.

AUTOIGNITION TEMPERATURE: NOT AVAILABLE.

GENERAL HAZARDS:

MATERIAL IS COMBUSTIBLE.

DUST/AIR MIXTURES ARE SEVERE EXPLOSION HARARDS.

FIRE FIGHTING INSTRUCTIONS: USE CARBON DIOXIDE, DRY CHEMICAL OR WATER SPRAY. SOLID STREAM MAY CAUSE SPLATTERING AND SPREAD FLAMES AND HAZARD.

FIRE FIGHTING EQUIPMENT: WEAR SELF-CONTAINED DREATHING APPARATUS AND PROTECTIVE CLOTHING AND GLOVES SHOULD BE WORN.

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION RESULTS IN ACRID FUMES CONTAINING TOXIC OXIDES OF CARBON. NITROGEN, AND SULFUR.

ACCIDENTAL RELEASE MEASURES

REMOVE ALL SOURCES OF IGNITION. CAREFULLY SWEEP INTO CLOSED CONTAINERS FOR DISPOSAL ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATION. FLUSH SPILL AREA WITH WATER.

HANDLING AND STORAGE

STORAGE TEMPERATURE: AMBIENT

STORAGE PRESSURE: ATMOSPHERIC

GENERAL: AVOID BREATHING DUST AND CONTACT WITH EYES, SKIN AND

CLOTHING.

STORE IN COOL, DRY AREA IN TIGHTLY CLOSED CONTAINERS AWAY FROM HEAT. STRONG OXIDIZERS AND OUT OF DIRECT SUNLIGHT.

Jungbunzlauer

MATERIAL SAFETY DATA SHEET

JUNGBUNG LAUER

PAGE: 3

DATE:

PRODUCT: SODIUM FACCHARIM, USP

REV: 10/27/92

7. HANDLING & STORAGE (CONTINUED)

EMPTY CONTAINERS: EMPTIED CONTAINERS RETAIN PRODUCT VAPORS AND RESIDUE. OBSERVE ALL LABEL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED. DO NOT CUT. DRILL, OR WELD ON OR NEAR THIS CONTAINER. DO NOT REUSE UNLESS PROFESSIONALLY CLEANED.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: EXPLOSION PROOF MECHANICAL EXHAUST GENERAL VENTILATION WITH LOCAL DUST EXHAUST SYSTEM AT POINT OF USE. EYE-WASH FOUNTAIN AND SAFETY SHOWER SHOULD BE AVAILABLE TO WORK AREA.

PERSONAL PROTECTION:

GENERAL: NIOSH APPROVED DUST RESPIRATOR, SPLASH-PROOF GOGGLES IMPERVIOUS GLOVES SHOULD BE WORN TO PREVENT INHALATION OF DUST AND SKIN AND EYE CONTACT.

PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE: NOT APPLICABLE
BULK DENSITY: 57 - 60 LBS/ft³
SOLUBILITY IN WATER: VERY SOLUBLE

EVAPORATION RATE: NOT APPLICABLE

EVAPORATION RATE: NOT APPLICABLE

NOT KNOWN

BOILING POINT:

>3000 (DECOMPOSES) MELTING POINT: 2300.

(n-BUTYL ACETATE - 1)

VISCOSITY:

NOT APPLICABLE

10. STABILITY AND REACTIVITY

GENERAL: STABLE AT NORMAL TEMPERATURE AND PRESSURES.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: STRONG OXIDIZERS.

HAZARDOUS DECOMPOSITION: THERMAL DECOMPOSITION RESULTS IN ACRID FUMES, CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN, SODIUM

.....

AND SULFUR.

11. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION):

SODIUM SACCHARIN HAS A REPORTABLE QUANTITY OF 100 LBS. IF 100 LBS. OR MORE IS IN ONE CONTAINER THE FOLLOWING SHIPPING DESCRITION IS TO BE USED:

SHIPPING NAME: HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM SACCHARIN)

HAZARD CLASS: 9

UN ID NUMBER: UN 3077 PACKAGING GROUP: III

Jungbunzlauer

MATERIAL SAFETY DATA SHEET

STUNGBUNGLAUER

PAGE: 4

DATE:

REV: 10/27/92

PRODUCT: SODIUM SACCHARIN, USP

12. REGULATORY INFORMATION

TSCA (TOXIC SUBSTANCE CONTROL ACT):
SODIUM SACCHARIN IS LISTED ON THE TSCA INVENTORY

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):
RATINGS: HEALTH- 3 FIRE- 0 REACTIVITY- 0 PERSISTENCE- U

(U - UNKNOWN)

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION BILL): SECTION 304 - REPORT REQUIRED.

13. OTHER INFORMATION

HMIS RATINGS: HEALTH - 3 FIRE - 0 REACTIVITY - 0

REASON FOR REVISION: UPDATE TO NEW FORMAT.

INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCUPATE. HOWEVER, IT IS PROVIDED SOLELY FOR THE CUSTOMER'S CONSIDERATION, INVESTIGATION AND VERIFICATION.

JUNGBUNZLAUER INC. HEREBY SPECIFICALLY DISCLAIMS ANY AND ALL WARRANTIES EXPRESSED OR IMPLIED, REGARDING THE ACCURACY AND COMPLETENESS OF SUCH INFORMATION, AND MAKES NO REPRESENTATION WITH RESPECT THERETO.